


Levelling feets and legs catalog



STEELFORM
PROFESSIONAL CATERING





Since the 90's we decided to specialize our production in stainless steel and in special alloys working in order to subtain different and particular problems of our customers.

We cover in our internal working organisation the whole production line, constantly investing our human and technology resources, guaranteeing in this way a vanguard production, respecting quality and safety standards.

We are specialized in the **production** and **sub furniture** of components for **mechanical industry**, sector for which we even furnish advice and collaborate in the design and co-design of new products.



Plants: **4** located in Italy

48.000 m² of surface

14.700 m² of factory

Employed: **150**

Turnover: **18** mln €

Approvals and Certifications



UNI EN ISO 9001

DIRECTIVE 97/23/CE PED

Qualification of processing center

EN 1090

UNI EN ISO 3834

WPS, WPQ, WPQR laut EN, ASME IX, AWS










AISI 441			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.001.432	100	Levelling foot 1 1/2 in A441 with screw M10x15, black octagonal end foot, djustment 136-190mm. Vertical static support 500kg.
	PGM.001.438	100	Levelling foot 1 1/2 in A441 with plate 100x90x2, black round end foot, adjustment 132-196mm. Vertical static support 500kg.
	PGM.001.400	100	Levelling foot 1 1/2 in A441 with plate in A430 93x90x2, black round end foot, adjustment 67-92mm. Vertical static support 500kg.
	PGM.001.385	100	Levelling foot 1 1/2 in A441 with plate 80x80x2, black round end foot, adjustment 117-179mm. Vertical static support 500kg.
	PGM.001.373	100	Levelling foot 1 1/2 in A441 with plate 70x70x1.2mm, black round polypropylene end foot, adjustment 73-80mm.

AISI 441			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.001.397	100	Levelling foot 1 3/4 in A441 with nut M10, black octagonal end foot, adjustment 93-143mm. Vertical static support 600kg.
	PGM.001.383	100	Levelling foot 1 3/4 A441 with plate 80x80x2, black round end foot, adjustment 134-196mm. Vertical static support 600kg.
	PGM.001.114	100	Levelling foot 1 3/4 in A441 with plate 70x70x1.52, black round end A304 foot, adjustment 119-194mm. Vertical static support 600kg.
	PGM.001.431	100	Levelling foot 2" in A441 with screw M12x20, black octagonal end foot, adjustment 126-188mm. Vertical static support 800kg.
	PGM.001.379	100	Levelling foot 2" in A441 with plate 100x80x2.5, black round end foot, unscrewable, adjustment 118-180mm. Vertical static support 800kg.





AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.000.053	300	Levelling foot 1" all in polypropylene for square legs 40x40x1/1.2mm, black hexagonal end foot, adjustment 24-51mm. Vertical static support 80kg.
	PGM.000.052	300	Levelling foot 1" all in polypropylene for square legs 40x40x1/1.2mm, grey hexagonal end foot, adjustment 35-95mm. Vertical static support 80kg.
	PGM.000.486	300	Levelling foot 1" in A304 for square legs 40x40x1/1.2mm, black hexagonal end foot, adjustment 38-62mm. Vertical static support 350kg.
	PGM.000.485	300	Levelling foot 1" in A304 for square legs 40x40x1/1.2mm, grey hexagonal end foot, adjustment 38-62mm. Vertical static support 350kg.
	PGM.000.046	200	Levelling foot 1" in A304 for square legs 40x40x1mm, black hexagonal end foot, adjustment 35-95mm. Vertical static support 350kg.

AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.000.044	200	Levelling foot 1" in A304 for square legs 40x40x1mm, grey hexagonal end foot, adjustment 35-95mm. Vertical static support 350kg.
	PGM.000.045	200	Levelling foot 1" in A304 for square legs 40x40x1mm, grey hexagonal end with wheel support M12, adjustment 40-105mm.
	PGM.000.043	200	Levelling foot 1" in A304 for square legs 40x40x1mm, black round end with wheel support, adjustment 40-105mm. Vertical static support 350kg.
	PGM.000.048	200	Levelling foot 1" in A304 for square legs 40x40x1mm, black hexagonal end foot, with wheel support M12.
	PGM.000.236	200	Levelling foot 1 1/4" in A304 for round legs 50x1, black round end foot, adjustment 54-108mm. Vertical static support 500kg.






AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
AT THE MOMENT PHOTO NOT AVAILABLE	PGM.000.235	200	Levelling foot 1"1/4 in A304 for round legs 50x1, grey round end foot, adjustment 54-108mm. Vertical static support 500kg.
	PGM.000.816	200	Levelling foot 1" in A304 for square legs 40x40x1/1.2mm, black hexagonal end foot, adjustment 38-62mm. Vertical static support 350kg.
	PGM.001.208	50	Levelling foot 1" in A304 for square legs 40x40x1/1.2mm, hexagonal end foot height 110mm, black plug M12 for wheels.
	PGM.000.239	200	Levelling foot 1"1/4 in A304 for square legs 50x50x1,2mm, black round end foot, adjustment 54-108mm. Vertical static support 500kg.
AT THE MOMENT PHOTO NOT AVAILABLE	PGM.001.157	200	Levelling foot 1"1/4 in A304 for legs 5050x1/1.2mm, black round end foot, adjustment 103-156mm. Vertical static support 500kg.

AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.000.238	200	Levelling foot 1"1/4 in A304 for square legs 50x50x1,2, grey round end foot, adjustment 132-180mm. Vertical static support 500kg.
	PGM.000.944	200	Levelling Marine foot 1" in A304 for square legs 40x40x1mm, with plate 80x40x2, adjustment 30-95mm. Vertical static support 350kg.
	PGM.000.578	200	Levelling foot 1"3/4 in ABS for round legs 60x1mm, black round end ABS foot, adjustment 58-80mm.
	PGM.001.192	200	Levelling Marine foot 1" in A304 with M10x15 screw and plate diam.60mm, adjustment 75-97mm. Vertical static support 300kg.
	PGM.000.392	200	Levelling foot 1" in A304 with screw M10x20, black hexagonal end foot, adjustment 90-98mm. Vertical static support 300kg.





AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.001.158	200	Foot 1" A304 with screw m8x20 H=135 with black round plug.
	PGM.000.497	200	Levelling foot 1"1/4 in A304 with screw M10x15, black round end foot, adjustment 103-162mm. Vertical static support 500kg.
	PGM.000.272	200	Levelling foot 1"1/4 in A304 with screw M10x15, black round end foot, adjustment 140-193mm. Vertical static support kg.280.
	PGM.000.241	200	Levelling foot 1"1/4 in A304 for square legs 50x50x1.2mm with grey wheel support, adjustment 144-195mm. Vertical static load 350kg.
	PGM.001.065	200	Levelling foot 1"1/2 in A304 with screw M10x13, black round end polypropylene foot, adjustment 98-105mm. Vertical static support 300kg.

AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.000.382	200	Levelling foot 1"1/2 in A304 with screw M10x20, black round end polypropylene foot, adjustment 73-80mm. Vertical static support kg.500.
	PGM.000.379	100	Levelling foot 1"1/2 in A304 with screw M10x15, black round end polypropylene foot, adjustment 73-80mm. Vertical static support 500kg.
	PGM.000.231	200	Levelling foot 1"1/2 in A304 with screw M10x20, black round end foot, adjustment 130-190mm. Vertical static support 500kg.
	PGM.000.096	200	Levelling foot 1"1/2 in A304 with screw M10x15, black round end foot, adjustment 125-177mm. Vertical static support 500kg.
	PGM.000.083	200	Levelling foot 1"1/2 in A304 with screw M10x20, black round end foot, adjustment 115-180mm. Vertical static support 500kg.










The photographs and/or drawings in this document are for illustrative purposes only.

AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.000.082	200	Levelling Marine foot 1"1/2 in A304 with screw M10x17 and plate diam.92x2, adjustment 111-170mm. Vertical static support 500kg.
	PGM.001.067	200	Levelling foot 1"1/2 in A304 with nut M10, black round end polypropylene foot, adjustment 56-69mm. Vertical static support 300kg.
	PGM.001.198	200	Levelling foot 1"1/2 in A304 with plate 93x90x2, black round end foot, adjustment 67-92. Vertical static load 500kg.
	PGM.001.171	200	Levelling Marine foot 1"1/2 in A304 with plate 100x100x2 and with plate diam.92x2, adjustment 68-120mm. Vertical static support 500kg.
	PGM.001.064	200	Levelling foot 1"1/2 in A304 with plate 100x100x2.5, black round end foot, adjustment 100-160mm. Vertical static load 500kg.

AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
AT THE MOMENT PHOTO NOT AVAILABLE	PGM.000.386	200	Levelling foot 1"1/2 in A304 with plate 70x70x2, black round all in polypropylene end foot, adjustment 73-80mm. Vertical static support 500kg.
	PGM.000.295	200	Levelling foot 1"1/2 in A304 with plate 100x80x2, black round end foot, adjustment 147-248mm. Vertical static load 500kg.
	PGM.000.090	200	Levelling Marine foot 1"1/2 in A304 with plate 67x68x2 and plate diam.92x2, adjustment 116-169mm. Vertical static support 500kg.
	PGM.000.089	200	Levelling foot 1"1/2 in A304 with plate 80x80x2, black round end foot, adjustment 115-180. Vertical static load 500kg.
	PGM.000.085	200	Levelling Marine foot 1"1/2 in A304 with plate 70x70x2 and plate diam.92x2, adjustment 110-171mm. Vertical static support 500kg.





AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.001.205	100	Foot diameter 58mm SPECIAL in A304 with screw m10x25, black round end foot, adjustment 55-69mm.
	PGM.001.399	100	Levelling foot 1 ³ / ₄ in A304, with screw M10x25, black round end foot, adjustment 150-250mm. Vertical static support 600kg.
	PGM.001.392	100	Levelling foot 1 ³ / ₄ in A304 with screw M8x20, black round end foot, adjustment 158-248mm. Vertical static support 600kg.
	PGM.001.391	100	Levelling foot 1 ³ / ₄ in A304 with screw M8x20, black round end foot, adjustment 128-178mm. Vertical static support 600kg.
	PGM.001.284	100	Levelling foot 1 ³ / ₄ in A304 with screw M10x13, black round end foot with round plate diam.70, adjustment 102-152mm. Vertical static support 600kg.

AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.000.869	200	Levelling foot 1 ³ / ₄ in A304 with screw M12x45, round end foot, fixed height 37mm. Vertical static support 600kg.
	PGM.000.543	100	Levelling foot 1 ³ / ₄ in A304 with screw M10x15, black round end foot, adjustment 108-158mm. Vertical static support 600kg.
AT THE MOMENT PHOTO NOT AVAILABLE	PGM.000.542	100	Levelling foot 1 ³ / ₄ in A304 with antirotation screw M10x30, black round end foot, adjustment 110-160mm. Vertical static support kg.600.
	PGM.000.528	100	Levelling foot 1 ³ / ₄ in A304 with screw M10x25, black round end foot with hole on the bottom,adjustment 101-161mm. Vertical static support 600kg.
	PGM.000.424	100	Levelling foot 1 ³ / ₄ in A304 with screw M10x15, black round end foot, adjustment 70-105mm. Vertical static support 600kg.









AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.000.304	100	Levelling foot 1"3/4 in A304 with screw M10x30, black round end foot, adjustment 148-250mm. Vertical static support 600kg.
	PGM.000.251	100	Levelling foot 1"3/4 in A304 with screw M10x25, black round end foot, adjustment 145-230mm. Vertical static support 600kg.
	PGM.000.250	100	Levelling foot 1"3/4 in A304 with screw M10x20, black round end foot, adjustment 135-190mm. Vertical static support 600kg.
	PGM.000.247	100	Levelling foot 1"3/4 in A304 with screw M10x25, with octagonal sleeve and black round end foot, adjustment 145-236mm. Vertical static support 600kg.
	PGM.000.112	200	Levelling foot 1"3/4 in A304 with screw M10x20, black round end foot, adjustment 120-175mm. Vertical static support 600kg.

AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.000.100	200	Levelling foot 1"3/4 in A304 with screw M10x25, black round end foot, adjustment 115-180mm. Vertical static support 600kg.
	PGM.001.360	100	Levelling foot 1"3/4 in A304 with nut M10, black octagonal end foot, adjustment 113-150mm. Vertical static support 600kg.
	PGM.000.541	100	Levelling foot 1"3/4 in A304 with nut M10, black round end foot, adjustment 110-160mm. Vertical static support 600kg.
	PGM.000.321	100	Levelling foot 1"3/4 in A304 with nut M10x15, black round end foot, adjustment 145-250mm, regulated at height 158mm. Vertical static support 600kg.
	PGM.001.389	100	Levelling foot 1"3/4 in A304 with plate 100x80x2, black octagonal end foot, adjustment 107-160mm. Vertical static support 600kg.








AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.001.368	100	Levelling foot 1 3/4 in A304 with plate 80x80x2, black octagonal end foot, adjustment 115-180mm. Vertical static support 600kg.
	PGM.000.471	100	Levelling foot 1 3/4 in A304 with plate 90x70x2, black round end foot, adjustment 84-116mm. Vertical static support 600kg.
	PGM.000.311	100	Levelling foot 1 3/4 in A304 with plate A430 67x67x2, black round end foot, adjustment 147-211mm. Vertical static load 600kg.
	PGM.000.266	100	Levelling foot 1 3/4 in A304 with plate 78x78x2.5, grey octagonal end foot, adjustment 130-235. Vertical static load 600kg.
	PGM.000.257	100	Levelling Marine foot 1 3/4 in A304 with plate 100x100x2mm + diam.80x2.5mm, grey hexagonal end foot, adjustment 138-230mm. Vertical static support 600kg.

AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.000.118	100	Levelling Marine foot 1 3/4 in A304 with 2 plates 70x70x2mm, adjustment 125-210mm. Vertical static support 600kg.
	PGM.000.117	100	Levelling foot 1 3/4 in A304 with plate 70x70x2, black round end foot, adjustment 127-210. Vertical static load 600kg.
	PGM.000.105	100	Levelling foot 1 3/4 in A304 with plate 80x80x2, black round end foot, adjustment 115-180. Vertical static load 600kg.
	PGM.001.424	100	Levelling foot 2" in A304 with screw M10x20, inside threaded insert in A304, black round end foot, adjustment 133-210mm. Vertical static support 800kg.
	PGM.001.292	100	Levelling Marine foot 2" in A304 with screw M12x20 and plate diam.117x2, adjustment 138-228mm. Vertical static support 800kg.









AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.001.166	100	Levelling foot 2" in A304 with screw M10x28 (A2), black round end foot, adjustment 141-231mm. Vertical static support 800kg.
	PGM.001.028	100	Levelling foot 2" in A304 with screw M12x20, black round end foot, adjustment 115-180mm. Vertical static support 800kg.
	PGM.001.013	100	Levelling Marine foot 2" in A304 with screw M12x20 and plate diam. 117x2, adjustment 105-165mm. Vertical static support 800kg.
	PGM.000.803	100	Levelling foot 2" in A304 with screw M12x20, black round end foot, adjustment 103-160mm. Vertical static support 800kg.
	PGM.000.551	100	Levelling foot 2" in A304 with screw M10x20, black round end foot, adjustment 97-159mm. Vertical static support 800kg.

AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.000.548	100	Levelling foot 2" in A304 with screw M12x25, black round end foot, adjustment 100-165mm. Vertical static support 800kg.
AT THE MOMENT PHOTO NOT AVAILABLE	PGM.000.416	100	Levelling foot 2" in A304 with screw M12x20, black octagonal end foot, adjustment 71-82mm. Vertical static support 800kg.
	PGM.000.340	100	Levelling foot 2" in A304 with screw M12x35, black round end foot, adjustment 164-225mm. Vertical static support 800kg.
	PGM.000.326	100	Levelling foot 2" in A304 with screw M12x20, black round end foot, adjustment 150-215mm. Vertical static support 800kg.
	PGM.000.277	100	Levelling foot 2" A304 with screw M10x20, black round end foot, adjustment 145-250mm. Vertical static support 800kg.





AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.000.173	100	Levelling Marine foot 2" in A304 with screw m10x12 and plate diam.92x2, adjustment 125-190mm. Vertical static support 800kg.
	PGM.000.171	100	Levelling foot 2" in A304 with screw M10x20, black round end foot, adjustment 133-195mm. Vertical static support 800kg.
	PGM.000.169	100	Levelling foot 2" in A304 with screw M10x20, black round end foot, adjustment 130-210mm. Vertical static support 800kg.
	PGM.000.164	100	Levelling foot 2" in A304 with screw M12x25, black round end foot, adjustment 134-195mm. Vertical static support 800kg.
	PGM.000.062	200	Levelling foot 2" in A304 with screw M10x25, black round end foot, adjustment 115-180mm. Vertical static support 800kg.

AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.000.061	100	Levelling Marine foot 2" in A304 with M10x20 screw and movable plate diam.92x2mm, adjustment 111-176mm. Vertical static support 800kg.
	PGM.001.426	100	Levelling foot 2" in A304 with plate 90X90X2 black round end foot, adjustment 140-226. Vertical static load 800kg.
	PGM.001.425	100	Levelling foot 2" in A304 with plate 74x74x2, black octagonal end foot, adjustment 98-127mm. Vertical static support 800kg.
	PGM.001.382	100	Levelling foot 2" in A304 with plate 80x80x2, black round end foot, adjustment 86-135mm. Vertical static support 800kg.
	PGM.001.335	100	Levelling Marine foot 2" in A304 with plate 70x70x2 and movable round plate diam.105mm, adjustment 158-220mm. Vertical static support 800kg.





AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.001.229	100	Levelling Marine foot 2" in A304 with plate 70x70x2 and plate diam.105x2, adjustment 113-175mm. Vertical static support 800kg.
	PGM.001.201	100	Levelling foot 2" in A304 with plate 70x70x2, black octagonal end foot, adjustment 115-180. Vertical static load 800kg.
	PGM.001.112	100	Levelling foot 2" in A304 with plate 80x80x2, grey round end foot, adjustment 115-180. Vertical static load 800kg.
	PGM.000.938	100	Levelling Marine foot 2" in A304 with plate 100x80x2mm and round plate diam.117x2mm, adjustment 114-176mm. Vertical static support 800kg.
	PGM.000.462	100	Levelling foot 2" in A304 with plate 80x80x2, black round end foot, adjustment 85-135mm. Vertical static load 800kg.

AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.000.413	100	Levelling foot 2" in A304 with plate 90x70x2, black round end foot, adjustment 70-98mm. Vertical static load 800kg.
	PGM.000.333	100	Levelling foot 2" in A304 with plate 80x80x2, black round end unscrewable foot, adjustment 153-214mm. Vertical static support 800kg.
	PGM.000.281	100	Levelling foot 2" in A304 with plate 80x80x2, black round end foot, adjustment 147-210mm. Vertical static support 800kg.
	PGM.000.212	100	Levelling foot 2" in A304 with plate 80x80x2, black octagonal end foot, adjustment 132-214mm. Vertical static load 800kg.
	PGM.000.208	100	Levelling foot 2" in A304 with plate 100x80x2, black round end foot, adjustment 132-194mm. Vertical static support 800kg.






The photographs and/or drawings in this document are for illustrative purposes only.

AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.000.186	100	Levelling foot 2" A304 with plate 74x74x2, black round end foot, adjustment 132-194mm. Vertical static support 800kg.
	PGM.000.137	100	Levelling foot 2" in A304 with plate 74x74x2.5, black round end foot, adjustment 135-230. Vertical static load 800kg.
	PGM.000.078	100	Levelling foot 2" in A304 with plate 90x70x2, black round end foot, adjustment 117-179mm. Vertical static support 800kg.
AT THE MOMENT PHOTO NOT AVAILABLE	PGM.000.077	100	Levelling Marine foot 2" in A304 with plate 90x70x2 and plate diam.92x2 adjustment 111-173mm. Vertical static support 800kg.
	PGM.000.070	200	Levelling foot 2" in A304 with plate 80x80x2, black round end foot, adjustment 117-179mm. Vertical static load 800kg.

AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
AT THE MOMENT PHOTO NOT AVAILABLE	PGM.000.018	100	Levelling Marine foot 2" in A304 with plate 110x90x3 and diam.117x2mm, adjustment 136-230mm. Vertical static support 800kg.
	PGM.001.255	100	Levelling foot 2"1/2 in A304 with screw M10x27, black round end foot, adjustment 118-154mm. Vertical static support 2000kg.
	PGM.001.078	100	Levelling Marine foot 2"1/2 in A304 with screw M10x27 and plate diam.136x2, adjustment 111-148mm. Vertical static support 800kg.
	PGM.000.033	100	Levelling foot 2"1/2 in A304 with screw M10x30, black round end foot, adjustment 93-120mm. Vertical static support 2000kg.
	PGM.000.824	100	Levelling beam 1"1/2 beam support in FE ZN 87x593 H=12 thickness 2mm, N.2 feet in A304, black round end foot, adjustment 94-154mm. Vertical static support 1000kg.















AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PFS.000.699	100	Levelling beam 1 3/4, beam support in FE ZN 520X2mm, N.2 feet in A304 , black round end foot, adjustment 72-104mm. Vertical static support 1200kg.
	PGM.001.395	100	Levelling leg 1" 40X40X1 in A304 hexagonal grey end foot, adjustment 812-877. Vertical static support 350 Kg.
	PGM.001.339	100	Levelling leg 40X40X1 in A304 grey hexagonal end foot, adjustment 812-878 H=780. Vertical static support 350 Kg.
	PGM.000.766	10	Wall-mounted shelf unit in A304 depth 687mm with levelling leg diam.50x1mm H=475mm adjustment min.814-max.868mm, foot with round end, finishing scotch-brite. Static vertical support 500kg.
	PGM.000.733	100	Levelling Leg 40x40x1mm in A304 H=800mm adjustment min.832-max.895mm, foot with hexagonal end, N.8 inserts M6, finishing scotch-brite. Static vertical support 350kg.

AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.000.732	100	Levelling Leg 40x40x1mm in A304 H=800mm adjustment min.832-max.895mm, foot with hexagonal end, N.8 inserts M6, finishing scotch-brite. Static vertical support 350kg.
	PGM.000.619	100	Levelling Leg 40x40x1mm in A304 H=775mm adjustment min.805-max.865mm, foot with hexagonal end, N.2 inserts M6, finishing scotch-brite. Static vertical support 350kg.
	PGM.000.610	200	Levelling Leg 40x40x1mm in A304 H=790mm adjustment min.822-max.890mm, foot with hexagonal end, finishing scotch-brite. Static vertical support 350kg.
	PGM.000.606	100	Levelling Leg 40x40x1mm in A304 H=800mm adjustment min.805-max.870mm, foot with hexagonal end, N.4 holes diam.9.2mm + N.2 inserts M6, finishing scotch-brite. Static vertical support 350kg.
	PGM.000.590	100	Levelling Leg 40x40x1mm in A304 H=800mm adjustment min.830-max.895mm, foot with hexagonal grey end, finishing scotch-brite. Static vertical support 350kg.





AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.001.417	100	Levelling leg 1"1/4 diam.50x1 in A304, black round end foot, adjustment 799-853. Vertical static load 500 Kg.
	PGM.001.337	100	Levelling leg 1"1/4 diam.50x1 in A304, black round end foot, adjustment 854-908. Vertical static load 500 Kg.
	PGM.001.280	100	Levelling leg 1"1/4 diam.50x1mm, in A304 with plate 100x100x2 black round end foot, adjustment 860-915. Vertical static support 500 Kg.
	PGM.001.023	100	Levelling Leg 1"1/4 50x1mm in A304, N.3 inserts M6, with round end foot, adjustment min.804-max.858mm. Static vertical support 500kg.
	PGM.000.703	100	Leg 50x1mm in A304 length 645mm, N.2 inserts M6 + N.1 hole diam.9.2mm, finishing scotch-brite.

AISI 304			
FEETS AND LEGS	ITEM REF.	MIN. PCS	DESCRIPTION
	PGM.000.650	100	Levelling Leg 1"1/4 50x1mm in A304 H=755mm adjustment min.809-max.863mm, foot with round end, N.3 inserts M6, finishing scotch-brite. Static vertical support 500kg.
	PGM.000.649	100	Levelling Leg 1"1/4 diam.50x1mm in A304 H=765mm, foot with round end,finishing scotch-brite, adjustment min.819-max.873mm, Static vertical support 500kg.
	PGM.000.648	200	Levelling Leg 1"1/4 diam.50x1mm in A304 H=780mm, foot with round end, finishing scotch-brite, adjustment min.825-max.880mm. Static vertical support 500kg.
	PGM.000.643	100	Levelling Leg 1"1/4 diam.50x1mm in A304 length 780mm, N.7 holes M6, foot with round end, finishing scotch-briteadjustment min.833-max.888mm. Static vertical support 500kg.
	PGM.001.192	100	Levelling Marine foot 1" in A304 with M10x15 screw and plate diam.60x2mm, adjustment 75-97mm. Vertical static support 300kg.





Italy

Sales Condition

Le spedizioni sono gestite secondo gli **INCOTERMS 2010**; il dettaglio della resa è indicato in calce alla conferma ordine. Qualora il trasporto fosse a vostro carico, (EXW) vi invieremo una copia del DDT contenente volume e peso: voi indicherete il vettore per il ritiro.

La merce viaggia a rischio e pericolo del committente anche se venduta a franco destino (DDP). Il peso totale e relative quantità sono le uniche riconosciute.

Spetta al destinatario di verificare il peso/quantità prima del ritiro e fare le dovute riserve al vettore per differenze, essendo quest'ultimo il solo responsabile della merce.

Per ordini di importo inferiore a 100€ il pagamento è bonifico bancario all'ordine, per prima fornitura, il pagamento sarà a mezzo bonifico bancario anticipato su Iban che vi comunicheremo all'invio della conferma d'ordine.

La presente si intende tacitamente accettata se non riceveremo alcun diniego entro 3 giorni dalla data di questo documento; eventuali annullamenti e modifiche d'ordine dovranno essere autorizzate.

Inviare i vostri ordini a **info@steelformitalia.it**. Non si accettano reclami se non autorizzati e segnalati nei termini prescritti dal Codice Civile e comunque entro e non oltre 60 giorni dalla data del documento di trasporto. Gli eventuali difetti della merce, fatti valere tempestivamente tramite l'invio di una comunicazione via mail/ fax, obbligano la SteelForm alla sola sostituzione, alle stesse condizioni di contratto.

Il mancato rispetto dei termini contrattuali (ritardi di pagamento, insoluti) e delle condizioni espresse in fattura darà luogo all'addebito automatico degli interessi di mora in ragione del saggio di riferimento della BCE maggiorato di 8 punti percentuali salvo diversi accordi scritti tra le parti (D.L.231/2002 modificato dal D.L. 192/2012). Per ogni controversia è competente il Tribunale o la Pretura di Udine.

I vostri dati saranno trattati ai sensi del D.L. 196/2003 Codice Privacy e successive modifiche: per la consultazione dell'informativa, vai al sito **www.steelformitalia.it** oppure **www.steelformcatering.com**.

Export

Sales Condition

Delivery term: ex works from our factory in Rivignano (UD), according to **INCOTERMS 2010**.

It is responsibility of the customer to verify weight and quantity before the withdrawal of the goods and make reservation to the carrier being soul responsible of the goods.

Please send order to **info@steelformitalia.it**. Complains are not accepted unless and reported with the time limits described by the civil code and in anycase not later than 60 days from the date of the trasport document. Your datas will be treated as per D.L. 196/2003 privacy code, and later amendments.

Please see site **www.steelformitalia.it** or **www.steelformcatering.com** different written agreements between the parties (D.L. 31/2002 modifield by the D.L. 192/2012). For any dispute, and the Court or the magistrate's Court of Udine.

Your data will be treated as per D.L. 196/2003 Privacy Code, as amended, to go to site www.steelformitalia.it or www.steelformcatering.com.





STEELFORM
PROFESSIONAL CATERING

STEELFORM SRL

Via M. Piccini, 16
33050 Rivignano (UD) - Italy
Tel. +39 0432 822011
Fax +39 0432 822231
export@steelformitalia.it
info@steelformitalia.it

www.steelformcatering.com